






shock absorber specifications

no.						
	min mm	max mm				
56920	317	488	BP18	EB1		
56930	399	652	BP18	ES27		
56950	330	512	S34	ES69		
56960	395	642	S34	ES69		
56970	388	628	S34	ES69		
56980	400	643	EB2	ES69		
56990	398	639	EB2	ES69		
57000	330	512	S1	EB2	13918	
57020	345	542	S34	ES69		
57040	382	606	ES69	EB2		
57050	375	593	EB2	ES69		
57060	385	613	ES69	ES69		
57070	329	512	ES31	ES25		
57080	452	757	BP8	ES34		
57090	394	642	EB1	ES24		
57100	399	652	S34	ES69		
57110	410	663	EB2	ES69		
57120	410	663	EB2	ES69		
57130	369	597	S1	BP4	13914	
57140	405	653	ES61	ES69		
57150	389	642	S34	S34	13906	
57160	329	512	EB1	ES113		
57170	334	522	EB1	ES113		
57180	354	567	S1	ES27		
57190	359	572	ES83	ES83		
57200	312	483	S1	ES113	13915	
57210	312	483	S1	EB1	13903	
57220	317	488	ES34	EB2		
57230	324	507	S1	ES113	13915	
57250	390	633	S34	EB2	13908	
57260	345	542	ES161	S34		
57270	345	542	EB2	S34	13908	
57280	324	507	S1	ES34		
57300	387	628	EB1	ES65		
57310	317	488	ES34	ES34		
57320	317	488	EB1	ES85		
57330	364	582	ES61	ES83		
57340	395	647	S1	ES34		
57350	329	511	ES17	ES17		
57360	334	522	ES34	EB2		
57370	452	757	BP8	ES17		
57380	340	551	ES17	ES17		
57390	340	551	ES61	ES83		
57400	359	582	S34	S34	13906	
57410	215	325	S1	BP4	13914	
57420	215	325	S1	ES17	13909	
57430	340	551	EB2	EB2	13901	
57440	357	590	BP4	ES34		
57450	399	652	BP18	ES34		
57460	354	567	S32	ES34		
57470	317	488	ES100	ES100		
57480	340	551	BP18	EB1		
57490	344	547	S1	ES25	13911	
57500	317	488	BP18	ES25		
57510	340	551	ES34	EB2		
57520	369	592	BP18	EB1		
57530	369	592	EB7	ES34		
57540	357	590	BP18	ES34		
57550	344	542	EB1	ES34		
57560	239	376	S1	ES17	13909	
57570	452	757	BP4	ES17		
57580	394	642	BP18	ES17		
57590	452	757	BP18	ES17		

shock absorber specifications

no.	mm		mm		mm	
	min	max	ES	EB	BP	
57600	399	652	ES34	ES34		
57610	334	522	EB4	EB4		
57620	399	652	EB4	EB4		
57630	215	325	S1	ES39		
57640	317	488	EB1	EB1	13902	
57650	364	582	EB1	ES17		
57660	330	512	ES161	S34		
57670	365	582	ES110	S34		
57680	384	632	S34	S34	13906	
57690	277	430	S1	ES17	13909	
57700	239	376	S1	ES17	13909	
57710	317	488	S34	ES34		
57720	371	595	S34	ES167		
57730	446	757	S1	BP4	13914	
57750	452	757	EB1	EB1	13902	
57760	294	463	ES17	ES17		
57770	452	757	ES25	EB4		
57780	334	522	ES17	ES17		
57790	399	652	EB7	ES34		
57800	452	757	ES34	ES34		
57810	395	647	S1	BP4	13914	
57820	294	463	ES34	EB2		
57830	334	522	ES25	ES25		
57840	452	757	EB1	ES25	13910	
57850	277	430	S1	ES113	13915	
57860	239	376	S1	ES39		
57870	399	652	BP18	EB1		
57880	382	623	S1	BP4	13914	
57890	239	376	S1	ES0		
57900	446	757	S1	ES17	13909	
57910	357	590	BP8	ES34		
57920	399	652	BP8	ES34		
57930	387	628	BP8	ES17		
57940	344	542	EB1	ES85		
57960	365	582	EB2	S34	13908	
57970	390	632	ES110	S34		
57980	398	639	ES69	ES69		
57990	369	592	EB1	ES24		
58100	349	552	ES31	ES25		
58110	399	652	EB1	ES69		
58120	335	522	S1	EB2	13918	
58130	329	517	S1	ES17	13909	
58140	239	376	S1	ES24		
58150	389	637	S1	BP4	13914	
58160	394	641	ES61	ES83		
58170	310	463	EB2	EB2	13901	
58190	380	603	ES61	ES69		
58200	399	652	BP18	ES25		
58210	349	552	EB1	ES34		
58220	413	663	EB2	EB2	13901	
58230	387	628	ES61	ES69		
58240	388	628	S1	EB2	13918	
58250	462	767	ES61	ES69		
58260	239	376	S1	ES173		
58270	355	553	EB2	EB2	13901	
58280	239	376	S1	ES69		
58290	344	547	S1	EB1	13903	
58300	344	542	ES83	ES83		
58320	318	488	S1	EB2	13918	
58330	340	523	ES162	ES69		
58340	400	643	ES144	ES144		
58350	364	582	EB1	ES25	13910	




shock absorber specifications

no.	mm		mm		mm	
	min	max	min	max	min	max
58360	365	582	S34	EB2	13908	
58370	329	517	S1	EB1	13903	
58380	299	452	EB1	EB1	13902	
58390	375	593	ES162	ES69		
58400	294	463	ES25	ES25		
58410	294	463	EB1	EB1	13902	
58420	359	572	EB1	ES34		
58430	340	551	EB1	ES25	13910	
58440	334	522	EB1	ES25	13910	
58450	369	592	EB1	EB1	13902	
58460	294	463	ES31	ES25		
58470	359	572	ES31	ES25		
58480	452	757	EB4	EB4		
58490	340	551	BP18	ES25		
58500	239	376	S1	BP4	13914	
58510	387	628	EB1	EB1	13902	
58520	369	592	EB1	ES25	13910	
58530	370	583	EB2	EB2	13901	
58540	324	507	S1	ES17	13909	
58550	350	552	EB2	S34	13908	
58560	270	440	S1	S1		
58570	354	567	EB1	S34		
58580	307	478	S34	S34	13905	
58590	317	488	EB1	ES113		
58600	334	522	EB1	EB1	13902	
58610	395	647	S1	EB2	13918	
58620	299	452	ES17	ES17		
58630	317	488	S1	ES113	13915	
58640	277	430	S32	ES34		
58650	349	552	EB1	ES25	13910	
58660	400	643	ES172	ES56		
58670	447	752	S1	ES83		
58680	365	582	S34	EB2	13908	
58690	370	592	S1	EB2	13918	
58710	395	647	S1	EB1	13903	
58720	452	757	EB7	ES34		
58730	463	768	EB2	EB2	13901	
58740	398	639	EB2	EB2	13901	
58750	354	567	S1	BP4	13914	
58760	387	628	ES31	ES25		
58770	405	653	EB2	EB2	13901	
58780	294	463	EB1	ES25	13910	
58790	340	551	EB1	EB1	13902	
58800	239	376	S1	ES34		
58810	375	593	ES69	ES69		
58820	387	628	BP18	ES25		
58830	364	582	ES34	ES34		
58840	364	582	ES161	S34		
58850	371	395	S34	EB2	13908	
58870	364	582	EB1	EB1	13902	
58880	359	577	S1	BP4	13914	
58890	399	652	EB1	EB1	13902	
58900	329	512	EB1	EB1	13902	
58910	329	512	ES34	ES34		
58920	349	552	EB1	EB1	13902	
58930	390	633	EB2	S34	13908	
58940	375	593	ES144	ES144		
58950	334	522	ES31	ES25		
58960	329	512	EB1	ES85		
58970	390	632	S34	ES167		
58980	340	523	ES144	ES144		
58990	339	542	S34	S34	13906	

shock absorber specifications

no.	mm		mm		mm	
	min	max	ES	ES	EB	BP
59100	387	628	ES61	ES83		
59110	335	522	S34	ES69		
59120	400	643	ES69	EB2		
59130	350	552	S34	ES69		
59140	385	613	ES69	EB2		
59150	390	632	S34	ES69		
59160	340	523	EB2	ES69		
59170	370	583	EB2	ES69		
59180	359	577	S1	ES27		
59190	369	592	BP18	ES25		
59200	329	513	EB1	ES85		
59210	294	447	S1	EB1	13903	
59220	344	542	ES61	ES83		
59240	394	642	BP18	ES25		
59250	382	623	S1	ES27		
59260	399	652	ES34	ES34		
59270	374	602	BP8	ES34		
59280	359	577	S32	ES34		
59290	364	587	S1	BP4	13914	
59300	345	533	EB2	EB2	13901	
59310	360	572	EB2	S34	13908	
59320	447	752	S1	BP4	13914	
59330	319	502	S34	S34	13906	
59350	389	637	S1	ES27		
59360	329	512	ES17	ES17		
59370	340	523	ES69	ES69		
59380	380	603	EB2	EB2	13901	
59390	344	542	EB1	EB1	13902	
59400	344	547	EB1	S34		
59410	388	628	S34	EB2	13908	
59420	294	447	S1	ES17	13909	
59430	329	513	EB1	ES85		
59440	324	507	S1	EB1	13903	
59450	395	647	S1	ES25	13911	
59460	324	507	S1	EB1	13903	
59470	277	430	S1	EB1	13903	
59480	239	376	S1	ES17	13909	
59490	364	587	S1	EB1	13903	
59500	446	757	S1	ES25	13911	
59510	239	376	S1	ES113	13915	
59520	294	447	S1	EB1	13903	
59530	398	639	ES61	ES69		
59540	360	572	S1	EB2	13918	
59550	334	532	S34	S34	13906	
59560	360	562	EB2	EB2	13901	
59570	294	447	S1	EB1	13903	
59580	339	537	S1	EB1	13903	
59590	364	582	EB1	ES34		
59600	452	757	BP18	ES25		
59610	375	593	EB2	EB2	13901	
59620	360	563	ES69	ES69		
59630	364	582	ES83	ES83		
59640	324	512	S34	S34	13906	
59650	239	376	S1	ES17	13909	
59660	312	483	S1	ES83		
59670	335	522	EB2	S1	13918	
59680	394	645	S1	ES34		
59690	400	643	EB2	EB2	13901	
59700	324	507	S1	BP4	13914	
59710	324	507	S1	ES17	13909	
59720	388	628	EB2	S34	13908	
59730	364	587	S1	ES17	13909	

shock absorber specifications

no.	min		max				
	mm	mm	mm	mm			
59740	385	613	EB2	EB2	13901		
59750	359	577	EB1	S34			
59760	345	542	S1	EB2	13918		
59770	365	582	S1	EB2	13918		
59780	364	592	S34	S34	13906		
59790	375	602	S1	EB2	13918		
59800	350	552	S1	EB2	13918		
59810	395	642	S34	EB2	13908		
59820	349	562	S34	S34	13906		
59830	318	488	EB2	S34	13908		
59840	370	592	ES161	S34			
59850	360	563	ES144	ES144			
59860	399	652	EB1	EB1	13902		
59870	335	523	ES161	S34			
59880	375	602	S34	EB2	13908		
59890	399	652	EB7	ES34			
59900	399	652	BP8	ES34			
59910	329	512	EB2	EB2	13901		
59930	359	577	S1	ES158			
59940	410	663	EB2	EB2	13901		
59950	355	553	ES61	ES69			
59960	375	602	S34	ES69			
59970	329	512	ES34	EB2			
59980	329	517	S1	BP4			
59990	371	595	S34	ES69			